



Supplies for Candles Ltd
Unit E Swinton Bridge Industrial Estate
Whitelee Road
Swinton
South Yorkshire
S64 8BH
UK
Telephone: 01709 257151
customerservice@suppliesforcandles.co.uk

PRODUCT SPECIFICATION

PRODUCT NAME & SKU: HONEY POWDER

TSK-BOT034

Product code

FI3131

Product name

HONEY POWDER

Batch

39669

Q/C

Passed

Best before

15/03/2025

DoM

15/03/2024

3302 10 90 00 - Flavouring

Chemical

Moisture %

Results

2.83

Our Specification

5 max

Test Method

MA01

Physical

Organoleptic

Results

Passes

Our Specification

Passes

Test Method

TTA00

Sieve Mesh 0.4mm

Passes

100% Passes

MESH01

Solubility

Passes

Passes

VCC03

Visual

Passes

Passes

VCC02

Compliant to : Commissions Regulation EU 1334/2008, Complies with M&S 'Specified Raw Material Requirements and Guidance for Honey' Version 1 January 2019 (Doc ref Honey)

Approved by
Laboratory Manager

Certificate issued 31/01/2025

* External method

LEGAL NOTICE

The information given in this publication is based on our current knowledge and experience, and may be used at your discretion and risk. It does not relieve you from carrying out your own precautions and tests. We do not assume any liability in connection with your product or its use. You must comply with all applicable laws and regulations, and observe all third party rights.

Microbiology results supplied are based upon our procedure code PPR 015 which is available upon request. This means that according to the designated level of risk, this batch may have been tested by our accredited Third Party lab, or the results may be based upon calculation and previous random sampling results.

Heavy Metals are tested by the company on a monitoring basis only unless expressly stated.

Shelf life dates provided are recommended according to studies carried out by the supplier company over time, however they are not a warranty against natural degradation which may occur, particularly with Natural materials. Product strengths will be as stated at the time of delivery, thereafter it is the duty of the customer to store the material appropriately and use the material in a timely manner to avoid any loss in strength.