



The Soap Kitchen
Unit E Swinton Bridge Industrial Estate
Whitelee Road
Swinton
South Yorkshire
S64 8BH
Telephone : 01237 420 872
enquiries@thesoapkitchen.co.uk

CERTIFICATE OF ANALYSIS

Product Name	Orange Oil Sweet				
Customer	The Soap Kitchen				
Batch	42755-01	Product Code	-	Date	14/06/2022

TEST RESULTS

ANALYTICAL TEST	SPECIFICATION RANGE	RESULT
Appearance	Mobile liquid orange to orange-red	Conforms
Odour	Characteristic	Conforms
Specific Gravity @ 20°C (g/ml)	0.830 – 0.850	0.847
Refractive Index @ 20°C	1.468 – 1.490	1.473
Optical Rotation @ 20°C (Degrees)	+93.0 to +100.0	+98.08

STORAGE

Shelf life of this product is influenced by many conditions of which temperature, exposure to light / air and general good storage are the major factors. Material stored in adverse conditions may deteriorate much faster. Our suggested "Re-test" date shown on this certificate reflects a minimum period in which we would expect product to remain in good usable conditions if stored as recommended. Thereafter its continued shelf life may be very much longer and we advise re-test at the indicated date and then every 3-6 months up to a suggested commercial expiry date as shown below. The expiry date is subjective and should be controlled by QC/QA. Typical indicators of re-test failure would be changes in organoleptic properties (clarity / colour / sediment / haze / off odour etc) Such changes may be gradual and slight and the commercial expiry date is intended to reflect a viable maximum proposal subject to earlier re-test approvals