

• SFC •



Supplies for Candles Ltd  
Unit E Swinton Bridge Industrial Estate  
Whitelee Road  
Swinton  
South Yorkshire  
S64 8BH  
UK

Telephone: 01709 257151  
customerservice@suppliesforcandles.co.uk

## CERTIFICATE OF ANALYSIS

### PRODUCT NAME & SKU: OIL066 Shea Oil

|               |               |               |            |
|---------------|---------------|---------------|------------|
| Product Name: | Shea Oil      |               |            |
| Customer:     | Soap Supplier | Customer Ref: | TSK-OIL066 |
| Date:         | 15/12/2023    | Batch no:     | 46273-01   |

| Analytical Test                         | Specification  | Result    |
|---|--|-----------|
| Appearance                              | Off white soft mass when cool. Yellow mobile liquid when warm. | Conforms  |
| Odour                                   | Characteristic   | Conforms  |
| Specific Gravity @ 40°C (g/ml)          | 0.900 - 0.945  | 0.926     |
| Refractive Index @ 40°C                 | 1.460 - 1.480  | 1.470     |
| Acid value (mgKOH/g)                    | ≤ 2.0  | 0.24      |
| Iodine value (Calc)                     | 50.0 - 85.0  | 83.6      |
| Peroxide value (Meq O <sub>2</sub> /kg) | ≤ 10.0 <i>(at time of production analysis)</i>                 | <0.1      |
|   |  |           |
| <b>Fatty Acid Profile (%)</b>           |  |           |
| C16:0 Palmitic Acid                     | ≤ 6.0  | 4.2       |
| C18:0 Stearic Acid                      | 20.0 - 40.0  | 31.8      |
| C18:1 Oleic Acid                        | 40.0 - 60.0  | 53.1      |
| C18:2 Linoleic Acid                     | 3.0 - 10.0   | 8.1       |
|   |  |           |
|   |  |           |
|   |  |           |
| Packing Date:                           |  | 12 / 2023 |
| Recommended re-test date:               |  | 06 / 2025 |
| Commercial Expiry date:                 |  | 12 / 2025 |

|                |   |
|----------------|---|
| <b>Storage</b> | Shelf life of this product is influenced by many conditions of which temperature, exposure to light / air and general good storage are the major factors. Material stored in adverse conditions may deteriorate much faster. Our suggested "Re-test" date shown on this certificate reflects a minimum period in which we would expect product to remain in good usable conditions if stored as recommended. Thereafter its continued shelf life may be very much longer and we advise re-test at the indicated date and then every 3-6 months up to a suggested commercial expiry date as shown below. The expiry date is subjective and should be controlled by QC/QA. Typical indicators of re-test failure would be changes in organoleptic properties (clarity / colour / sediment / haze / off odour etc) Such changes may be gradual and slight and the commercial expiry date is intended to reflect a viable maximum proposal subject to earlier re-test approvals |
|----------------|---|