



Supplies for Candles Ltd
Unit E Swinton Bridge Industrial Estate
Whitelee Road
Swinton
South Yorkshire
S64 8BH
UK

Telephone: 01709 257151
customerservice@suppliesforcandles.co.uk

Certificate Of Analysis

PRODUCT NAME & SKU: Red Superior Rose Petals, Small, Dried TSK-BOT001

IDENTIFICATION OF THE PRODUCT AND THE COMPANY:

BATCH NO: 7236
ORIGIN: Pakistan
BOTANICAL NAME: Rosa centifolia
BEST BEFORE DATE: 22.04.2028
SUPPLIER: Joseph Flach & Sons Ltd
24/25 Maxwell Road, Woodston, Peterborough, England PE2 7JD
Telephone: +44 (0) 1733 371 221 E-mail: contact@josephflach.co.uk
Website: www.josephflach.co.uk

ANALYSIS: TEST RESULTS:

Enterobacteriaceae:	<100 cfu/g
E.Coli:	<10 cfu/g
Coagulase positive Staphylococci:	<20 cfu/g
Bacillus cereus:	<20 cfu/g
Sulphite red. Clostridia:	<100 cfu/g
Yeast:	<20 cfu/g
Moulds:	40 cfu/g
Salmonella:	Not detected in 25g
Ochratoxin A:	<0.5 µg/kg

OTHER INFORMATION:

This product is neither irradiated nor genetically modified. The results relate to the tested sample and do not guarantee the bulk of the material to be of equal quality. This certificate is valid without a signature.

Pesticides: Comply to current legislation.

Customers must ensure they carry out any additional tests as applicable to the application of the product. The Customer is solely responsible for compliance with any regulations relating to the onward sale of this ingredient or suitability for any intended use.

VERSION & DATE:

V1.0
Date: 25/09/2024

Product: Anhydrous Lanolin EP ELP

Lot Number: NKA2404151

Pesticide	Analysis	Specification
Hexachlorobenzene (HCB)	< 0.005	0.05 ppm maximum
Alpha-HCH	< 0.005	0.05 ppm maximum
Beta-HCH	< 0.01	0.05 ppm maximum
Gamma-HCH (Lindane)	< 0.005	0.05 ppm maximum
Delta-HCH	< 0.01	0.05 ppm maximum
Heptachlor	< 0.01	0.05 ppm maximum
Heptachlor Epoxide (HCE)	< 0.01	0.05 ppm maximum
Aldrin	< 0.01	0.05 ppm maximum
Dieldrin	< 0.01	0.05 ppm maximum
Endrin	< 0.01	0.05 ppm maximum
Alpha-Endosulphan	< 0.01	0.05 ppm maximum
Beta-Endosulphan	< 0.01	0.05 ppm maximum
Methoxychlor	< 0.01	0.05 ppm maximum
Tecnazene (TCNB)	< 0.01	0.05 ppm maximum
<i>o,p</i> -DDD	< 0.01	0.05 ppm maximum
<i>p,p</i> -DDD	< 0.01	0.05 ppm maximum
<i>o,p</i> -DDE	< 0.01	0.05 ppm maximum
<i>p,p</i> -DDE	< 0.01	0.05 ppm maximum
<i>o,p</i> -DDT	< 0.01	0.05 ppm maximum
<i>p,p</i> -DDT	< 0.01	0.05 ppm maximum
Bromophos-Ethyl	< 0.01	0.5 ppm maximum
Bromophos-Methyl	< 0.01	0.5 ppm maximum
Carbophenothion	< 0.01	0.5 ppm maximum
Alpha-Chlorfenvinphos	< 0.01	0.5 ppm maximum
Beta-Chlorfenvinphos	< 0.01	0.5 ppm maximum
Chlorpyrifos-Ethyl	< 0.01	0.5 ppm maximum
Chlorpyrifos-Methyl	< 0.01	0.5 ppm maximum
Coumaphos	< 0.01	0.5 ppm maximum
Diazinon	0.2	0.5 ppm maximum
Dichlofenthion	< 0.01	0.5 ppm maximum
Ethion	< 0.01	0.5 ppm maximum
Fenchlorphos	< 0.01	0.5 ppm maximum
Malathion	< 0.01	0.5 ppm maximum
Pirimiphos-Ethyl	< 0.01	0.5 ppm maximum
Phosalone	< 0.01	0.5 ppm maximum
Propetamphos	< 0.01	0.5 ppm maximum
Tetrachlorvinphos	< 0.01	0.5 ppm maximum
Cis-Permethrin	< 0.01	0.5 ppm maximum
Trans-Permethrin	< 0.01	0.5 ppm maximum
Cypermethrin	0.04	0.5 ppm maximum
Cyhalothrin	< 0.01	0.5 ppm maximum
Deltamethrin	< 0.01	0.5 ppm maximum
Fenvalerate	< 0.01	0.5 ppm maximum
Total	0.24	1.0 ppm maximum

Date of Manufacture: 15/04/2024

Recommended Date of Re-Test: 14/04/2026

Issue Date: 16/04/2024

