

Safety data sheet

Printed : 24/05/2024

Revised : 2023-2-CLP from
24/05/2024

MUSK & SANDALWOOD I FRAG0098V2

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

MUSK & SANDALWOOD I FRAG0098V2

Product Type : mixture of aromatic raw materials

C.A.S Number : N.A.

EINECS Number : N.A.

Tariff Number : 33 02 90 90

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use: Industrial. For professional use.

1.3. Details of the supplier of the safety data sheet

Supplies for Candles & The Soap Kitchen Ltd
Unit E Swinton Bridge Industrial Estate,
White Lea Road, Swinton
South Yorkshire
S64 8BH, UK
Office Hours: Mon to Fri 08.00 to 16.00
customerservice@suppliesforcandles.co.uk
TEL: 01709 257151

1.4. Emergency telephone number

Phone number in case of emergency: TEL: 01709 257151

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification : According to (CE) regulation n° 1272/2008 and its adaptation

(RegulationCLP)

ED12 Serious eye damage / eye irritation 2

EHC2 Hazardous to the aquatic environment, long-term hazard 2

SS1 Sensitisation skin 1

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

Safety data sheet

Printed : 24/05/2024 MUSK & SANDALWOOD I FRAG0098V2

Revised : 2023-2-CLP from
24/05/2024

2.2. Label elements

GHS Classification : According to (CE) regulation n° 1272/2008 and its adaptation


(RegulationCLP)

Warning mention : Warning

ED12 Serious eye damage / eye irritation 2
EHC2 Hazardous to the aquatic environment, long-term hazard 2
SS1 Sensitisation skin 1

H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H411 - Toxic to aquatic life with long lasting effects.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - IF ON SKIN: Wash with plenty of water



2.3. Other hazards

Presence of endocrine disruptor(s) as defined under the article 57(f) of regulation (EU) 1907/2006 (REACH): none.

Presence of substance(s) of Very High Concern (SVHC) under article 57 of regulation (EU) N°1907/2006 (REACH) : none.

The mixture does not meet the criteria for mixtures PBT or vPvB in accordance with Annex XIII of regulation (EU) N°1907/2006 (REACH).

3. COMPOSITION / INFORMATION ON INGREDIENT

3.1. Substances

No data available.

3.2. Mixtures

Identification number	Substances	Hazard risks and statements	SCL / M factors / ATE	Percent %
CAS# 32210-23-4 EINECS# 250-954-9 REACH# 01-2119976286-24-*** *	ACETATE PTBCH	SS1B H317		[10-15]

Safety data sheet

Printed : 24/05/2024

MUSK & SANDALWOOD I FRAG0098V2

Revised : 2023-2-CLP from
24/05/2024

CAS# 28219-61-6 EINECS# 248-908-8 REACH# 01-2119529224-45-*** *	2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	ED12, EHC2 H319, H411		[5-10]
CAS# 106-22-9 EINECS# 203-375-0	Citronellol	ED12, SCI2, SS1B H319, H315, H317		[0-5]
CAS# 54464-57-2 EINECS# 259-174-3 REACH# 01-2119489989-04-*** *	2-acetoxy-2,3,8,8-tetramethyloctahydronaphthalene	EHC1, SCI2, SS1B H410, H315, H317		[0-5]
CAS# 91-64-5 EINECS# 202-086-7 REACH# 01-2119943756-26-*** */ 01-2119949300-45-*** *	Coumarin	ATO4, SS1B H302, H317	ATE (Orale) : 500mg/kg	[0-5]
CAS# 127-51-5 EINECS# 204-846-3	alpha-iso-methylionone	ED12, EHC2, SCI2, SS1 H319, H411, H315, H317		[0-5]
CAS# 93-04-9 EINECS# 202-213-6 REACH# 01-2119937828-21-*** *	2-MethoxyNaphthalene	ED12, EHC2 H319, H411		[0-5]
CAS# 106-24-1 EINECS# 203-377-1 REACH# 01-2119552430-49-*** *	Geraniol	ED11, SCI2, SS1 H318, H315, H317		[0-5]
CAS# 78-70-6 EINECS# 201-134-4	Linalool	ED12, SCI2, SS1B H319, H315, H317		[0-5]
CAS# 97-53-0 EINECS# 202-589-1 REACH# 01-2119971802-33-*** *	Eugenol	ED12, SS1B H319, H317		[0-5]
CAS# 115-95-7 EINECS# 204-116-4 REACH# 01-2119454789-19-*** *	Linalyl acetate	ED12, SCI2, SS1B H319, H315, H317		[0-5]
CAS# 7779-30-8 EINECS# 231-926-5	1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)pent-1-en-3-one	EHC2, SCI2, SS1B H411, H315, H317		[0-5]
CAS# 1222-05-5 EINECS# 214-946-9 REACH# 01-2119488227-29-*** *	1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran (HHCB)	EHA1, EHC1 H400, H410		[0-5]
CAS# 8023-85-6 EINECS# 295-985-9 REACH# 01-2120141735-57-*** *	Atlas cedarwood oil	AH1, EHC2, SS1 H304, H411, H317		[0-5]
CAS# 5989-27-5 EINECS# 227-813-5	Limonene	AH1, EHA1, EHC3, FL3, SCI2, SS1B H304, H400, H412, H226, H315, H317		[0-5]
CAS# 107898-54-4 EINECS# 411-580-3 REACH# 01-0000000316-81-*** *	Polysantol	EHA1, EHC1, SCI2 H400, H410, H315		[0-5]
CAS# 127-43-5 EINECS# 204-843-7	Methyl-beta-ionone	EHC2, SCI2, SS1B H411, H315, H317		[0-5]

Safety data sheet

Printed : 24/05/2024

MUSK & SANDALWOOD I FRAG0098V2

Revised : 2023-2-CLP from
24/05/2024

CAS# 80-56-8 EINECS# 201-291-9 REACH# 01-2119979519-16-*** */ 01-2119519223-49-*** *	alpha-Pinene	AH1, ATO4, EHA1, EHC1, FL3, SCI2, SS1B H304, H302, H400, H410, H226, H315, H317	ATE (Orale) : 500mg/kg	[0-5]
CAS# 127-91-3 EINECS# 204-872-5	beta-Pinene	AH1, EHA1, EHC1, FL3, SCI2, SS1B H304, H400, H410, H226, H315, H317		[0-5]
CAS# 87-44-5 EINECS# 201-746-1	beta-Caryophyllene	AH1, SS1B H304, H317		[0-5]
CAS# 19870-74-7 EINECS# 243-384-7 REACH# 01-2120228335-61-*** *	Cedramber	EHA1, EHC1, SS1B H400, H410, H317		[0-5]

Presence of endocrine disruptor(s) as defined under the article 57(f) of regulation (EU) 1907/2006 (REACH): none.

4. FIRST AID MEASURES

4.1. Description of first aid measures

Skin contact: Wash immediatly with plenty of water and then soap.Rinse with clear water.

Eye contact: Rinse with plenty of water (15 minutes open eyelids) and wash with ocular lotion type Dacryosérum.If disorder consult an ophthalmologist.

Ingestion: Consult a doctor and show the label

Contaminated clothes : Remove contaminated clothes and reuse only after decontamination.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

5. FIRE FIGHTING

5.1. Extinguishing media

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2. Special hazards arising from the substance or mixture

Flammability : The product is not flammable..

Prevention: Do not smoke. Do not use flame near.

5.3. Advice for firefighters

Never use a direct stream of water.

Safety data sheet

Printed : 24/05/2024 MUSK & SANDALWOOD I FRAG0098V2

Revised : 2023-2-CLP from
24/05/2024

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate personal protective equipment during clean-up. Respiratory protective equipment may be necessary.

6.2. Environmental precautions

Prevent contamination of soil and water, while entering into drains, ditches and rivers. Notify authorities if the product penetrates into sewers or public waters.

6.3. Methods and material for containment and cleaning up

Cleaning methods: diking with sand or diatomaceous earth, pump and rinse with water after recovery of specific waste plastic drums and labeled back then to an approved waste.

6.4. Reference to other sections

No data available.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Close the packaging after use.

Reproduce labelling if transfer in another container.

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

7.2. Conditions for safe storage, including any incompatibilities

-Avoid any useless exposure. Keep away from food and drinks.

-Preserve only in the container of origin in a fresh place and broken down well. Keep the containers closed out of their use.

-Do not leave it near heat source, direct rays of the sun.

7.3. Specific end use(s)

No data available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Technical measures: Avoid contact with eyes, skin or clothes. Do not ingest. Avoid contact with food, drinks.

Safety data sheet

Printed : 24/05/2024 MUSK & SANDALWOOD I FRAG0098V2

Revised : 2023-2-CLP from
24/05/2024

Personal protective equipment:

Use personal protective equipment and properly maintained.

Store personal protective equipment in a clean place, away from the work area.

When using, do not eat, drink or smoke. Remove and wash contaminated clothes before reuse. Ensure adequate ventilation, especially in confined places.

Eyes / face protection :

Avoid contact with eyes.

Use ocular protection developed to protect against liquid splashes.

Before handling, it is necessary to wear safety glasses in compliance with NF 166 standard.

Hand protection :

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products

that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Recommended properties :

- Impervious gloves in accordance with standard EN374

Body protection:

The staff will wear regularly washed work clothes.

After contact with the product, all the contaminated parts of the body should be washed.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color :	Very Pale Yellow to Pale Yellow
Aspect :	Clear Oily Liquid
Odor :	Conforms to Standard
Flash point (°C) :	>100
Specific gravity@20°C :	[1.0435 ; 1.0635]
Refractive index @ 20°C :	[1.4850 ; 1.5050]

9.2. Other information

No data available.

10. STABILITY AND REACTIVITY

10.1. Reactivity

Dangerous reactions : No dangerous reactions known.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions

Safety data sheet

Printed : 24/05/2024 MUSK & SANDALWOOD I FRAG0098V2

Revised : 2023-2-CLP from
24/05/2024

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Thermal decomposition may release / form:
Carbon monoxide (CO), carbon dioxide (CO₂)

11. TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute Toxicity Estimate

LD50 Oral : 4270 mg/kg 2 % unknown
LD50 Dermal : >5000 mg/kg 4 % unknown
LD50 Inhalation : 23 mg/kg 7 % unknown

11.2. Information on other hazards

Présence of endocrine disruptor(s) as defined under the article 57(f) of regulation (EU) 1907/2006 (REACH): none.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

Safety data sheet

Printed : 24/05/2024

MUSK & SANDALWOOD I FRAG0098V2

Revised : 2023-2-CLP from
24/05/2024

Presence of endocrine disruptor(s) as defined under the article 57(f) of regulation (EU) 1907/2006 (REACH) : none.

12.7. Other adverse effects

No data available.

13. DISPOSAL RECOMMENDATIONS

Appropriate mixture and / or its container waste management must be determined in accordance with Directive 2008/98 / EC.

13.1. Waste treatment methods

Do not discharge into drains or rivers

Waste:

Waste management is done without endangering human health and without harming the environment, and especially without risk for water, air, soil, plants or animals.

Recycle or dispose in accordance with regulation in force, preferably by a collector or an approved company.

Do not contaminate the ground or water with waste, do not dispose of them in the environment.

Contaminated packaging:

Empty the container. Keep the label on the container. Give to a certified disposal contractor.

14. TRANSPORT INFORMATION

ADR/ADN/RID:



IMDG:



IATA:



14.1. UN number

ADR/ADN/RID : 3082 (Underground code : (E))

IMDG:3082

IATA :3082

14.2. UN proper shipping name

Safety data sheet

Printed : 24/05/2024 MUSK & SANDALWOOD I FRAG0098V2

Revised :2023-2-CLP from
24/05/2024

ADR/ADN/RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (PERFUMERY PRODUCTS)
IMDG:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (PERFUMERY PRODUCTS)
IATA :ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (PERFUMERY PRODUCTS)

14.3. Transport hazard class(es)

ADR/ADN/RID : 9
IMDG:9
IATA :9

14.4. Packing group

ADR/ADN/RID : III
IMDG:III
IATA :III

14.5. Environmental hazards

IMDG : Material of marine pollutant type.

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The following regulations were taken into account:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 618/2012
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2015/830
- Wassergefahrdungsklasse (Water Hazard Class) : NA

ICPE classification : **4511**

15.2. Chemical safety assessment

No data available.

16. OTHER INFORMATION

Full H sentences text in point 3 :

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.

Safety data sheet

Printed : 24/05/2024 MUSK & SANDALWOOD I FRAG0098V2

Revised : -2-CLP from 24/05/2024

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet according to Regulation (EU) N° 2020/878 of 18/06/20 amending Annex II to Regulation (EC) N° 1907/2006.

These indications are based on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modified points : 2.1

2.2

3.2

9.1

11.1

14

14.1

14.2

14.3

14.4

14.5

15.1

16