



Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name: MEDITERRANEAN FIG FRAG0429** 

Article number: 23767300

1.2 Relevant identified uses of the substance or mixture and uses advised against

Life cycle stages IS Use at industrial Sites

Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC28 Perfumes, fragrances

**Technical function** Fragrance

Application of the substance / the mixture

Air fresheners Alcohol cleaner

Floor polish/ Polishing wax

Toilet soap Glass Cleaner Basic cleaner

Hand cleaning agent

Hand detergent

Hand cleaning paste

Industrial cleaner

Cosmetic Active Agent

Neutral cleaner

Soap cleaner

Washing liquid

Wax emulsion

Detergents

Toilet-cleaner

Uses advised against Not for personal use in this form or concentration

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Supplies for Candles Ltd & The Soap Kitchen Ltd Unit E Swinton Bridge Industrial Estate

Whitelee Road

Swinton

South Yorkshire

S64 8BH

Office Hours Mon- Fri 8.00 - 16.00

customerservice@suppliesforcandles.co.uk

TEL: 01709 257151

www.suppliesforcandles.co.uk / www.thesoapkitchen.co.uk

Further information obtainable from: Regulatory Affairs Department

#### 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



(Contd. on page 2)



Page 2/12

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

**Trade name: MEDITERRANEAN FIG FRAG0429** 

(Contd. of page 1)

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation. **Hazard pictograms** 





GHS07

GHS09

### Signal word Warning

### Hazard-determining components of labelling:

alpha-Hexylcinnamaldehyde

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

Citrus limon oil (lemon oil)

Lemon oil, terpenes

Citral

Cedrol methyl ether

Linalool

Acetyl cedrene (Vertofix)

linalyl acetate

2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (Hivertal)

### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

# **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3 Other hazards

### Results of PBT and vPvB assessment

PBT: Not applicable.



# according to 1907/2006/EC, Article 31

Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

**Trade name: MEDITERRANEAN FIG FRAG0429** 

(Contd. of page 2)

vPvB: Not applicable.

**Dangerous components:** 

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

CAS: 84-66-2 EINECS: 201-550-6	diethyl phthalate substance with a Community workplace exposure limit	>25–≤50%
CAS: 120-51-4 EINECS: 204-402-9 Index number: 607-085-00-9	Benzyl benzoate  Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; Acute Tox. 4, H302	>10-<25%
CAS: 101-86-0 EINECS: 202-983-3	alpha-Hexylcinnamaldehyde  Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411;  Skin Sens. 1B, H317	>2.5–≤10%
CAS: 1222-05-5 EINECS: 214-946-9 Index number: 603-212-00-7	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran  Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1)	>2.5–≤10%
CAS: 54464-57-2 EINECS: 259-174-3	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)  Aquatic Chronic 1, H410 (M=1);  Skin Irrit. 2, H315; Skin Sens. 1, H317	>2.5-<10%
CAS: 5392-40-5 EINECS: 226-394-6 Index number: 605-019-00-3	Citral  Skin Irrit. 2, H315; Skin Sens. 1, H317	≥1–≤2.5%
CAS: 19870-74-7 EINECS: 243-384-7	Cedrol methyl ether  Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1B, H317	≥1-<2.5%
CAS: 8008-56-8	Citrus limon oil (lemon oil)	>1_<2 5%

LINECS. 243 304 7	H317	
CAS: 8008-56-8 EINECS: 284-515-8	Citrus limon oil (lemon oil)  Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥1-<2.5%
CAS: 68917-33-9 EINECS: 284-515-8	Lemon oil, terpenes  Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥1-<2.5%

CAS: 78-70-6 Linalool ≥1-≤2.5%

Index number: 603-235-00-2

H317

\_\_\_\_\_\_

CAS: 63500-71-0 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (florol) ≤2.5%

CAS: 115-95-7 | linalyl acetate | ≥1–≤2.5%

CAS: 1506-02-1 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid) ≥0.25-<2.5%

H302

(Contd. on page 4)



(Contd. of page 3)



# Safety data sheet

# according to 1907/2006/EC, Article 31

Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

**Trade name: MEDITERRANEAN FIG FRAG0429** 

		(Conta. of page 3)
CAS: 68039-49-6	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (Hivertal)	≥0.25-<1%
EINECS: 268-264-1	Aquatic Chronic 2, H411; 🕩 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 103-95-7	2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde)	≥0.1-<1%
EINECS: 203-161-7	🕩 Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 502-72-7	Cyclopentadecanone (Romanone extra)	≥0.25-<2.5%
EINECS: 207-951-2	Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1)	
CAS: 91-64-5	Coumarin	≥0.1-<1%
EINECS: 202-086-7	Acute Tox. 4, H302; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	≥0.1-<0.25%
EINECS: 227-813-5	♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Acute 1, H400 (M=1);	
Index number: 601-096-00-2	2 ሱ Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	

# Regulation (EC) No 648/2004 on detergents / Labelling for contents

perfumes (BENZYL BENZOATE, alpha-Hexylcinnamaldehyde, CITRAL, linalool, coumarine, (R)-p-mentha-1,8-diene, citronellol, geraniol, benzyl salicylate)

Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water.

## After swallowing:

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

#### Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

**5.2** Special hazards arising from the substance or mixture No further relevant information available.

## 5.3 Advice for firefighters

Protective equipment: No special measures required.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation





# according to 1907/2006/EC, Article 31

Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

**Trade name: MEDITERRANEAN FIG FRAG0429** 

(Contd. of page 4)

Keep away from ignition sources.

Wear protective clothing.

#### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

**Information about storage in one common storage facility:** Store away from foodstuffs.

Further information about storage conditions: Store receptacle in a well ventilated area.

**7.3 Specific end use(s)** No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 84-66-2 diethyl phthalate

WEL Short-term value: 10 mg/m<sup>3</sup> Long-term value: 5 mg/m<sup>3</sup>

**Additional information:** The lists valid during the making were used as basis.

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.





# according to 1907/2006/EC, Article 31

Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

**Trade name: MEDITERRANEAN FIG FRAG0429** 

(Contd. of page 5)

### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

### Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

Lower and upper explosion limit

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye/face protection Goggles recommended during refilling

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Fluid

Colour: Yellow to dark yellow Odour: Characteristic

**Odour threshold:** Not determined. Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling range 290 °C (CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-

tetramethyl-2-naphthalenyl)ethanone (Iso-E super))

**Flammability** Not applicable.

Not determined. Lower: Not determined. Upper:

Flash point: 70-100 °C (CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-

0 hPa

tetramethyl-2-naphthalenyl)ethanone (Iso-E super))

**Auto-ignition temperature:** 480 °C (CAS: 120-51-4 Benzyl benzoate)

**Decomposition temperature:** Not determined.

Mixture is non-soluble (in water). pН

Viscosity:

Not determined. Kinematic viscosity Not determined. **Dynamic:** 

Solubility

Insoluble (10%) water: alcohols: Partly miscible.

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: Density and/or relative density

**Density:** Not determined.

(Contd. on page 7)



Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

**Trade name: MEDITERRANEAN FIG FRAG0429** 

(Contd. of page 6)

Relative densityNot determined.Vapour densityNot determined.

9.2 Other information

**Appearance:** 

Form: Oily

Important information on protection of health and

environment, and on safety.

**Ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

Solvent content:

 Organic solvents:
 0.2 %

 VOC (EC)
 0.22 %

 VOCV (CH)
 0.47 %

 Solids content:
 0.9 %

 Refractive index
 1.498-1.508

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard classes

Void **Explosives** Flammable gases Void Void **Aerosols Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Void **Oxidising liquids** Void **Oxidising solids Organic peroxides** Void Corrosive to metals Void **Desensitised explosives** Void

### **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)





Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

**Trade name: MEDITERRANEAN FIG FRAG0429** 

(Contd. of page 7)

# **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

**ATE (Acute Toxicity Estimates)** 

Oral LD50 12680 mg/kg

CAS: 84-66-2 diethyl phthalate
Oral LD50 8600 mg/kg (rat)
CAS: 120-51-4 Benzyl benzoate
Oral LD50 1700 mg/kg (rat)

Dermal LD50 4000 mg/kg (rabbit)

CAS: 5392-40-5 Citral

Oral LD50 4960 mg/kg (rat)

**CAS: 78-70-6 Linalool** 

Oral LD50 2790 mg/kg (rat) Dermal LD50 5610 mg/kg (rabbit)

**CAS: 91-64-5 Coumarin**Oral LD50 293 mg/kg (rat)

CAS: 5989-27-5 (R)-p-mentha-1,8-diene

Oral LD50 4400 mg/kg (rat)

Skin corrosion/irritation Causes skin irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

11.2 Information on other hazards

**Endocrine disrupting properties** 

CAS: 1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: List II

CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super): List II

CAS: 1506-02-1 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid): List II

CAS: 118-58-1 benzyl salicylate: List II

# SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

**12.2** Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Remark:

Very toxic for fish Toxic for fish



according to 1907/2006/EC, Article 31

Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

**Trade name: MEDITERRANEAN FIG FRAG0429** 

(Contd. of page 8)

#### Additional ecological information:

#### **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms Toxic for aquatic organisms

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

### **Uncleaned packaging:**

Recommendation: Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

14.1 UN number or ID number

ADR, IMDG, IATA UN3082

14.2 UN proper shipping name

ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

benzoate, Citrus limon oil (lemon oil))

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

benzoate, Citrus limon oil (lemon oil)), MARINE POLLUTANT

IATA Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate, Citrus

limon oil (lemon oil))

### 14.3 Transport hazard class(es)

ADR, IMDG, IATA



**Class** 9 Miscellaneous dangerous substances and articles.

Label 9

14.4 Packing group

ADR, IMDG, IATA

14.5 Environmental hazards:

Marine pollutant:Symbol (fish and tree)Special marking (ADR):Symbol (fish and tree)Special marking (IATA):Symbol (fish and tree)

14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code): 90
EMS Number: F-A,S-F
Stowage Category A

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

(Contd. on page 10)



Page 10/12

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

**Trade name: MEDITERRANEAN FIG FRAG0429** 

(Contd. of page 9)

# **Transport/Additional information:**

ΔDR

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Transport category 3
Tunnel restriction code (-)

**IMDG** 

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(BENZYL BENZOATE, CITRUS LIMON OIL (LEMON OIL)), 9, III

## \* SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Existing Chemical Substances

CAS: 84-66-2 diethyl phthalate: 3-1301 CAS: 120-51-4 Benzyl benzoate: 3-1389

CAS: 101-86-0 alpha-Hexylcinnamaldehyde: 3-2657

CAS: 1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: 5-683

CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

CAS: 24851-98-7 Methyl dihydrojasmonate (hedione): 3-3309 CAS: 25265-71-8 Dipropylene glycol (isomer unspecified): 2-413

CAS: 104-61-0 gamma-Nonalactone: 9-137

CAS: 5392-40-5 Citral: 2-515

CAS: 19870-74-7 Cedrol methyl ether: 4-651 CAS: 78-70-6 Linalool: 2-249, 2-258

CAS: 32388-55-9 Acetyl cedrene (Vertofix): 4-1234

CAS: 115-95-7 linalyl acetate: 2-2536

CAS: 1506-02-1 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid): 4-1179

CAS: 123-11-5 anisaldehyde: 3-2661 CAS: 106-68-3 3-Octanone: 2-544

CAS: 103-95-7 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (cyclamen aldehyde): 3-2911

CAS: 502-72-7 Cyclopentadecanone (Romanone extra): 3-3307

CAS: 110-27-0 isopropyl myristate: 2-798

CAS: 91-64-5 Coumarin: 5-688

CAS: 93-92-5 alpha-Methylbenzyl acetate: 3-1040, 3-1045, 3-1062

CAS: 140-11-4 benzyl acetate: 3-1020, 3-1045 CAS: 104-50-7 gamma-Octalactone: 9-137



Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

**Trade name: MEDITERRANEAN FIG FRAG0429** 

(Contd. of page 10)

Page 11/12

CAS: 5989-27-5 (R)-p-mentha-1,8-diene: 3-2245, 7-988, 8-498

CAS: 60-12-8 Phenethyl alcohol: 3-1032

CAS: 2082-79-3 n-octadecyl 3-(4'-hydroxy-3',5'-di-t-butylphenyl) propionate: 3-1737

CAS: 14901-07-6 beta-lonone: 3-2387 CAS: 99-87-6 p-cymene: 3-12, 3-15 CAS: 106-22-9 dl-Citronellol: 2-258

CAS: 562-74-3 terpinen-4-ol: 3-2331, 3-3260

**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation. **Hazard pictograms** 





GHS07

' GHS09

#### Signal word Warning

# Hazard-determining components of labelling:

alpha-Hexylcinnamaldehyde

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

Citrus limon oil (lemon oil)

Lemon oil, terpenes

Citral

Cedrol methyl ether

Linalool

Acetyl cedrene (Vertofix)

linalyl acetate

2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (Hivertal)

### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t



# according to 1907/2006/EC, Article 31

Printing date 06.06.2023 Version number 2 (replaces version 1) Revision: 06.06.2023

**Trade name: MEDITERRANEAN FIG FRAG0429** 

(Contd. of page 11)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

### Department issuing SDS: Regulatory Affairs department

#### Contact:

Regulatory Affairs department

regulatory@vioryl.gr

# Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

 $\label{prop:control} \mbox{ Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 \\$ 

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

### \* Data compared to the previous version altered.