



## Certificate of Analysis

Product Name:	TSK-BOT046 Aloe Vera Powder		
Customer:	INTERESTED PARTY	Customer Ref:	
Date:	06/06/2025	Batch no:	49842-02

Analytical Test	Specification	Result
Appearance	Powder :cream to off white	Conforms
Odour	Slight typical vegetable like	Conforms
Alverose content (%)	≥ 8.0	11.20
Anthraquinone (Aloin) content (ppm)	≤ 0.1	Negative
Moisture (%)	≤ 8.0	3.26
pH (0.5% solution)	3.5 – 5.0	4.48
Total Viable Count (cfu/g)	≤ 1000	Conforms
Mould Count (cfu /g)	≤ 100	Conforms
Yeast Count (cfu /g)	≤ 100	Conforms
Pathogenic bacterium/25g (salmonella, shigella, staphylococcus aureus)	Negative in 25g	Conforms
Packing Date:		06 / 2025
Recommended re-test date:		12 / 2026
Commercial Expiry date:		06 / 2027

### Storage

Shelf life of this product is influenced by many conditions of which temperature, exposure to light / air and general good storage are the major factors. Material stored in adverse conditions may deteriorate much faster. Our suggested "Re-test" date shown on this certificate reflects a minimum period in which we would expect product to remain in good usable conditions if stored as recommended. Thereafter its continued shelf life may be very much longer and we advise re-test at the indicated date and then every 3-6 months up to a suggested commercial expiry date as shown below. The expiry date is subjective and should be controlled by QC/QA. Typical indicators of re-test failure would be changes in organoleptic properties (clarity / colour / sediment / haze / off odour etc) Such changes may be gradual and slight and the commercial expiry date is intended to reflect a viable maximum proposal subject to earlier re-test approvals