

SFC · Version: 1 (25/09/2023)

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

TSK-ESS0025V2 - Lime Essential Oil Distilled V2 **Product:** 

1 Version:

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

Product identifier: Lime Essential Oil Distilled: CAS: 90063-52-8

Other identifiers: Citrus Aurantifolia Peel Oil Distilled

### 1.2 Relevant identified uses of the substance of mixture and uses advised against

Fragrances, Cosmetics, Professional applications only. Product uses:

### 1.3 Details of the supplier of the safety data sheet

Supplies for Candles Ltd & The Soap Kitchen Ltd Company name:

Unit E Swinton Bridge Industrial Estate Company address:

Whitelee Road

Swinton

South Yorkshire

S64 8BH

Contact: Office Hours Mon- Fri 8.00 - 16.00

E-Mail address: customerservice@suppliesforcandles.co.uk

TEL: 01709 257151 Company phone:

#### 1.4 Emergency telephone number

01709 257151 **Emergency phone:** 

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification under Regulation (EC) No 1272/2008

Class and category of Flammable Liquid, Hazard Category 3

danger: Skin Corrosion / Irritation Category 2

> Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Toxic to Reproduction Category 2 Aspiration Hazard Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1

H226, Flammable liquid and vapour.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H361, Suspected of damaging fertility or the unborn child (exposure route).

Page 2 (11)

Issue date: 02/10/2023

Version: 1 (25/09/2023)



In accordance with REACH Regulation EC No.1907/2006

TSK-ESS0025V2 - Lime Essential Oil Distilled V2 **Product:** 

Version: 1

H410, Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Danger

**Hazard statements:** H226, Flammable liquid and vapour.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H361, Suspected of damaging fertility or the unborn child (exposure route).

H410, Very toxic to aquatic life with long lasting effects.

M factor: None

Supplemental Information:

None

**Precautionary** statements:

P202, Do not handle until all safety precautions have been read and understood.

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P233, Keep container tightly closed.

P240, Ground/bond container and receiving equipment.

P241, Use explosion-proof electrical, ventilating and lighting equipment.

P242, Use only non-sparking tools.

P243, Take precautionary measures against static discharge.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308/313, IF exposed or concerned: Get medical advice/attention.

P331, Do not induce vomiting.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

Page 3 (11)

Issue date: 02/10/2023

Version: 1 (25/09/2023)



In accordance with REACH Regulation EC No.1907/2006

Product: TSK-ESS0025V2 - Lime Essential Oil Distilled V2

Version: 1

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Pictograms:



#### 2.3 Other hazards

Other hazards: None

# Section 3. Composition / information on ingredients

#### 3.1 Substances

**Product identifier:** Lime Essential Oil Distilled; CAS: 90063-52-8

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
d-Limonene	5989-27-5	227-813-5		50-100%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,-	M = 1
p-Mentha-1,4-diene	99-85-4	202-794-6		10-<20%	Flam. Liq. 3-Repr. 2- Asp. Tox 1-Aquatic Chronic 2;H226-H304- H361-H411,-	oral: ATE = 3650 mg/kg bw
p-Cymene	99-87-6	202-796-7		5-<10%	Flam. Liq. 3-Acute Tox. 3-Repr. 2-Asp. Tox 1- Aquatic Chronic 2; H226-H304-H331- H361-H411,-	inhalation: ATE = 9.7 mg/l (vapour)-oral: ATE = 4750 mg/kg bw
beta-Pinene	127-91-3	204-872-5		5-<10%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,-	M = 1-M = 1
alpha-Terpineol	98-55-5	202-680-6		5-<10%	Skin Irrit. 2-Eye Irrit. 2; H315-H319,-	oral: ATE = 4300 mg/kg bw
Terpinolene	586-62-9	209-578-0		5-<10%	Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H304-H317-H410,-	M = 1-M = 1-oral: ATE = 3775 mg/kg bw

Version: 1 (25/09/2023)



In accordance with REACH Regulation EC No.1907/2006

Product: TSK-ESS0025V2 - Lime Essential Oil Distilled V2

Version: 1

Myrcene	123-35-3	204-622-5	5-<10	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 2; H226-H304-H315- H319-H400-H411,-	M = 1
alpha-Pinene	80-56-8	201-291-9	5-<10 <sup>4</sup>	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1- Aquatic Chronic 1; H226-H302-H304- H315-H317-H410,-	M = 1-M = 1-oral: ATE = 500 mg/kg bw
p-Mentha-1,3-diene	99-86-5	202-795-1	5-<10	Flam. Liq. 3-Acute Tox. 4-Skin Sens. 1-Asp. Tox 1-Aquatic Chronic 2;H226-H302-H304- H317-H411,-	oral: ATE = 1680 mg/kg bw
delta-3-Carene	13466-78-9	236-719-3	5-<10 <sup>0</sup>	'	oral: ATE = 4800 mg/kg bw
Camphene	79-92-5	201-234-8	0.1-<1	Flam. Sol. 2-Aquatic % Acute 1-Aquatic Chronic 1;H228-H410,-	M = 1-M = 1
alpha-Phellandrene	99-83-2	202-792-5	0.1-<1	Flam. Liq. 3-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H410,-	M = 1-M = 1
Linalool	78-70-6	201-134-4	0.1-<1	Skin Irrit. 2-Eye Irrit. 2- % Skin Sens. 1B;H315- H317-H319,-	oral: ATE = 2790 mg/kg bw

#### Section 4. First-aid measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with

water/shower.

**Ingestion:** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

# 4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child (exposure route).

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Page 5 (11)

Issue date: 02/10/2023

Version: 1 (25/09/2023)



In accordance with REACH Regulation EC No.1907/2006

**Product:** TSK-ESS0025V2 - Lime Essential Oil Distilled V2

Version: 1

### **Section 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

# 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: this product can generate oxides of carbon and other toxic gases.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

# 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

# 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

# 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

Do not eat, drink or smoke whilst handling this product.

Do not breathe vapours, spray or mist.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Maintain limited contact with oxygen.

#### 7.3 Specific end use(s):

Fragrances, Cosmetics, Professional applications only.: Use in accordance with good manufacturing and industrial hygiene practices.

Version: 1 (25/09/2023)



In accordance with REACH Regulation EC No.1907/2006

TSK-ESS0025V2 - Lime Essential Oil Distilled V2 **Product:** 

1 Version:

#### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Not Applicable Workplace exposure limits:

#### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

#### Section 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

**Physical State/Colour:** Liquid

Colourless - Yellow

Odour: Characteristic **Odour threshold:** Not determined Melting point / freezing point: Not determined Boiling point or initial boiling point and boiling Not determined

range:

Flammability: Not determined Lower and upper explosion limit: Not determined

Flash point: 52 °C

**Auto-ignition temperature:** Not determined **Decomposition temperature:** Not relevant Not determined pH: Kinematic viscosity: Not determined Solubility: Insoluble in water. Partition coefficient: n-octanol/water (log

value):

Not determined

Not determined Vapour pressure: Density and/or relative density: 0.8455 - 0.8565Relative vapour density: Not determined Particle characteristics: Not determined

Version: 1 (25/09/2023)



SAFETY DATA SHEET
In accordance with REACH Regulation EC No.1907/2006

Product: TSK-ESS0025V2 - Lime Essential Oil Distilled V2

Version: 1

**9.2 Other information:** None available

#### Section 10. Stability and reactivity

### 10.1 Reactivity:

Expected to remain stable under recommended storage conditions.

### 10.2 Chemical stability:

Expected to remain stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Extremes of temperature.

Freezing

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products:

Not expected.

# Section 11. Toxicological information

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute Toxicity:**Based on available data the classification criteria are not met.

Acute Toxicity Oral 2800

Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

**Reproductive toxicity:** Toxic to Reproduction Category 2

**STOT-single exposure:**Based on available data the classification criteria are not met. **STOT-repeated exposure:**Based on available data the classification criteria are not met.

**Aspiration hazard:** Aspiration Hazard Category 1

#### Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral (mg/kg)	LD50/ATE Dermal (mg/kg)	LC50/ATE Inhalation	LC50 Route
alpha-Pinene	80-56-8	201-291-9	500	Not available	Not available	Not available



Version: 1 (25/09/2023)



# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TSK-ESS0025V2 - Lime Essential Oil Distilled V2

Version: 1

delta-3-Carene	13466-78-9	236-719-3	4800	Not available	11.5	Dust/mist mg/l
p-Cymene	99-87-6	202-796-7	4750	Not available	9.7	Vapour mg/l
p-Mentha-1,3-diene	99-86-5	202-795-1	1680	Not available	INot available	Not available

Refer to Sections 2 and 3 for additional information.

#### 11.2 Information on other hazards

Not Applicable

# **Section 12. Ecological information**

# 12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties:** Not Applicable **12.7 Other adverse effects:** Not available

#### **Section 13. Disposal considerations**

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **Section 14. Transport information**

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN1993	FLAMMABLE LIQUID, N.O.S. (d- Limonene, p-Mentha-1,4-diene)	3	-	III
IMDG	UN1993	FLAMMABLE LIQUID, N.O.S. (d- Limonene, p-Mentha-1,4-diene, Terpinolene) MARINE POLLUTANT	3	-	III
ADR,RID,ADN	UN1993	FLAMMABLE LIQUID, N.O.S. (d- Limonene, p-Mentha-1,4-diene)	3	-	III
ICAO TI	UN1993	FLAMMABLE LIQUID, N.O.S. (d- Limonene, p-Mentha-1,4-diene)	3	-	III

#### 14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN



Version: 1 (25/09/2023)



# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: TSK-ESS0025V2 - Lime Essential Oil Distilled V2

Version: 1

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

# **Section 15. Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

# 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

#### **Section 16. Other information**

**Concentration % Limits:** SCI 2=9.43% EDI 2=55.56% SS 1=1.64% REP 2=20.00% AH 1=12.82%

EH A1=25.30% EH C1=86.81% EH C2=7.37% EH C3=0.72442770% EH

C4=17.76%

**Total Fractional Values:** SCI 2=10.60 EDI 2=1.80 SS 1=61.00 REP 2=5.00 AH 1=7.80 EH A1=3.95

EH C1=1.15 EH C2=13.56 EH C3=138.04 EH C4=5.63

Key to revisions:

Not applicable

#### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 3	Acute Toxicity - Inhalation Category 3
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Sol. 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Version: 1 (25/09/2023)



# In accordance with REACH Regulation EC No.1907/2006

**Product:** TSK-ESS0025V2 - Lime Essential Oil Distilled V2

Version: 1

Toxic if inhaled.  Harmful if inhaled.  Suspected of damaging fertility or the unborn child (exposure route).
Suspected of damaging fertility or the unborn child (exposure route)
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, sparks, open flames and hot surfaces No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical, ventilating and lighting equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing vapour or dust.
Wash hands and other contacted skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves/eye protection/face protection.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN: Wash with plenty of soap and water.
IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Call a POISON CENTRE or doctor/physician.
Call a POISON CENTRE or doctor/physician if you feel unwell.
Rinse mouth.
Do not induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
Collect spillage.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to approved disposal site, in accordance with local regulations.



Version: 1 (25/09/2023)



# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** TSK-ESS0025V2 - Lime Essential Oil Distilled V2

Version: 1

Repr. 2	Toxic to Reproduction Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.