

The Soap Kitchen
Unit E Swinton Bridge Industrial Estate
Whitelee Road
Swinton
South Yorkshire
S64 8BH

Telephone: 01237 420 872 enquiries@thesoapkitchen.co.uk

## **CERTIFICATE OF ANALYSIS**

## **PRODUCT NAME:** Neroli Essential Oil, Light

| Product Name: Neroli Oil Light  |            |   |           |                |           |  |
|---|------------|---|-----------|----------------|-----------|--|
| Customer:   |            |   |           | omer Ref:      |           |  |
| customer:   |            |   | omer ker: |                |           |  |
| Date:   | 25/11/2022 | Batc  |           | n no: 43764-01 |           |  |
| Analytical Test   |            | Specification                                   |           | Result         |           |  |
| Appearance  |            | Liquid, pale yellow.                            |           | Conforms       |           |  |
| Odour   |            | Characteristic - strong neroli note.            |           | Conforms       |           |  |
| Specific Gravity @ 20°C (g/ml)  |            | <u>0.914 -</u> 0.924                            |           | 0.917          |           |  |
| Refractive Index @ 20°C   |            | <u>1.471 -</u> 1.481                            |           | 1.476          |           |  |
| Optical <u>Rotation</u> (Degrees)   |            | +3.0 to +13.0                                   |           | 10.88          |           |  |
| Peroxide Value (mmol/l)   |            | ≤ 20.0 <u>(</u> at time of production analysis) |           | 12.0           |           |  |
|   |            |   |           |                |           |  |
|   |            |   |           |                |           |  |
|   |            |   |           |                |           |  |
|   |            |   |           |                |           |  |
|   |            |   |           |                |           |  |
|   |            |   |           |                |           |  |
|   |            |   |           |                |           |  |
|   |            |   |           |                |           |  |
|   |            |   |           |                |           |  |
|   |            |   |           |                |           |  |
| Packing Date:   |            |   |           | 11 / 2022      |           |  |
| Recommended re-test date:   |            |   |           |                | 05 / 2024 |  |
| Commercial Expiry date:   |            |   |           | 11 / 2024      |           |  |
| Shelf life of this product is influenced by many conditions of which temperature, exposure to light / air and general good storage are the major factors. Material stored in adverse conditions may deteriorate much faster. Our suggested "Re-test" date shown on this certificate reflects a minimum period in which we would expect product to remain in good usable conditions if stored as recommended. Thereafter its continued shelf life may be very much longer and we advise re-test at the indicated date and then every 3-6 months up to a suggested commercial expiry date as shown below. The expiry date is subjective and should be controlled by QC/QA. Typical indicators of re-test failure would be changes in organoleptic properties (clarity / colour / sediment / haze / off odour etc) Such changes may be gradual and slight and the commercial expiry date is intended to reflect a viable maximum proposal subject to earlier re-test approvals |            |   |           |                |           |  |