

The Soap Kitchen
Unit E Swinton Bridge Industrial Estate
Whitelee Road
Swinton
South Yorkshire
S64 8BH

Telephone: 01237 420 872 enquiries@thesoapkitchen.co.uk

CERTIFICATE OF ANALYSIS

PRODUCT NAME: Neroli Essential Oil, Light

Product Name:	Product Name: Neroli Oil Light					
Customer:	Soap Supplier		Cust	omer Ref:	-	
Date:	19/04/2023			Batch no: 44587-02		
Analytical Test		Specification		Result		
Appearance		Liquid, pale yellow to yellow/greenish.		Conforms		
Odour		Characteristic - strong neroli note.		Conforms		
Specific Gravity @ 20°C (g/ml)		<u>0.900 -</u> 0.930		0.919		
Refractive Index @ 20°C		<u>1.470 -</u> 1.485		1.478		
Optical <u>Rotation</u> (Degrees)		+3.0 to +13.0		10.0		
Peroxide Value (mmol/l)		≤ 20.0 <u>(</u> at time of production analysis)		13.0		
Packing Date:				04 / 2023		
Recommended re-test date:				04 / 2025		
Commercial Expiry date:				04 / 2026		
Shelf life of this product is influenced by many conditions of which temperature, exposure to light / air and general good storage are the major factors. Material stored in adverse conditions may deteriorate much faster. Our suggested "Re-test" date shown on this certificate reflects a minimum period in which we would expect product to remain in good usable conditions if stored as recommended. Thereafter its continued shelf life may be very much longer and we advise re-test at the indicated date and then every 3-6 months up to a suggested commercial expiry date as shown below. The expiry date is subjective and should be controlled by QC/QA. Typical indicators of re-test failure would be changes in organoleptic properties (clarity / colour / sediment / haze / off odour etc) Such changes may be gradual and slight and the commercial expiry date is intended to reflect a viable maximum proposal subject to earlier re-test approvals						