

Prosoy Pillar Wax

SDS Number: 152

Revision Date: 1/17/20

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Supplies for Candles Ltd & The Soap Kitchen Ltd
Unit E Swinton Bridge Industrial Estate, Whitelee Road, Swinton
South Yorkshire, S64 8BH

Contact

Phone: 01709 257151

Web: www.suppliesforcandles.co.uk / www.thesoapkitchen.co.uk

Product Name: Prosoy Pillar Wax
Revision Date: 1/17/20
Version: 1
SDS Number: 152
Common Name: Candle Wax
Product Use:

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

No GHS Classifications Indicated

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **NONE**

no GHS pictograms indicated for this product

GHS Hazard Statements:

no GHS hazards statements indicated

GHS Precautionary Statements:

no GHS precautionary statements indicated

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Inhalation, Skin Contact
Inhalation: Fumes from molten material may cause mild respiratory irritation
Skin Contact: Contact with molten material may cause burns
Eye Contact: Contact with molten material may cause burns
Ingestion: Ingestion is not an applicable route of entry for intended use

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical Name
Proprietary	100%	Proprietary blend of natural waxes and oils

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, seek medical attention.

Skin Contact: Wash contact area with soap and water. If burned by contact with hot material, molten material adhering to skin should be cooled as quickly as possible with water.

Eye Contact: Flush eyes with plenty of water for at least 15 minutes.

Ingestion: Product is non-toxic. Should stomach discomfort occur, seek medical attention

5 FIRE FIGHTING MEASURES

Flammability: NA

Flash Point: >600F

Flash Point Method: C.O.C.

LEL: NA

UEL: NA

Use dry chemical, CO2, foam or water fog to extinguish fire. Treat as an oil fire, do not use stream of water.

6 ACCIDENTAL RELEASE MEASURES

Dike or contain molten material. Allow material to solidify, then scrape up solid material. Handle as solid waste clean up. Clean up solid spills to prevent slippery surface conditions. Prevent entry into waterways.

7 HANDLING AND STORAGE

Handling Precautions: When heated, the vapor/fumes given off may cause respiratory tract irritation. Handle with care and avoid spillage on the floor.

Storage Requirements: Store in cool, dry area away from heat or direct sunlight.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Provide adequate ventilation to avoid build up of fumes.

TLV-TWA: 5 mg/m3 for fumes

Personal Protective Equipment: Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation.

- If product is hot, thermally protective, chemical resistant gloves are recommended.
- If contact with material may occur, safety glasses and face shield are recommended.
- If product is hot, thermally protective, chemical resistant apron and long sleeves are recommended

Additional protective clothing and/or equipment as required to prevent contact with molten wax.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: off-white

Spec Grav./Density: <1

Freezing/Melting Pt.: 135F

10 STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal conditions

Materials to Avoid: Strong Oxidizing Agents

Hazardous Decomposition: CO, CO2 and unidentified byproducts of combustion

Hazardous Polymerization: Will not occur

11 TOXICOLOGICAL INFORMATION

Product does not have any harmful effects based on available information.

12 ECOLOGICAL INFORMATION

No quantatative data concerning the ecological effects of this product.

13 DISPOSAL CONSIDERATIONS

Observe all local, state and federal regulations.

14 TRANSPORT INFORMATION

Not hazardous product according to DOT classifications

15 REGULATORY INFORMATION

Regulatory Descriptions

The product is compliant with regulatory agencies

The product does not contain any materials known to the State of California to cause cancer.

All components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory

This product does not contain chemicals regulated under SARA Section 302 or SARA Title III, section 313.

Prosoy Pillar Wax

SDS Number: 152

Revision Date: 1/17/20

Page 4 of 4

16

OTHER INFORMATION

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).